UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/821,933	04/12/2004	Se-hyun Lyu	101-1029	2147
	7590 01/16/2007	,	EXAMINER	
STANZIONE & KIM, LLP 919 18TH STREET, N.W.			NGO, HOANG X	
SUITE 440 WASHINGTO	N. DC 20006		ART UNIT	PAPER NUMBER
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		2852	
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MONTHS		01/16/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	10/821,933	LYU ET AL.			
Office Action Summary	Examiner	Art Unit			
	Hoang Ngo	2852			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be time iii apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	I. ely filed the mailing date of this communication. O (35 U.S.C. § 133).			
Status					
 Responsive to communication(s) filed on 10/11 This action is FINAL. 2b) This Since this application is in condition for allowant closed in accordance with the practice under Extended 	action is non-final. ace except for formal matters, pro				
Disposition of Claims					
4) ⊠ Claim(s) 1-15 and 17-28 is/are pending in the a 4a) Of the above claim(s) is/are withdraw 5) ⊠ Claim(s) 1-15,17-21 and 28 is/are allowed. 6) ⊠ Claim(s) 22 is/are rejected. 7) ⊠ Claim(s) 23-27 is/are objected to. 8) □ Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers					
 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te			

Application/Control Number: 10/821,933

Art Unit: 2852

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claim 22 is rejected under 35 U.S.C. 102(e) as being anticipated by Kameyama et al (US 7,046,941).

Kameyama et al discloses a printer (Col. 1, line 13) comprising a first door (i.e. front cover 16, Fig. 20, Col. 8, line 19) to open a front side, a second door (i.e. side cover 93, Figs. 9, Col. 17, lines 24-27) to open a left side, a third door (i.e. side cover 93, Fig. 10, Col. 17, lines 24-27) to open a right side, and a fourth door (i.e. document pressing cover 83, Fig. 11, Col. 17, line 51) to open a top side of a printer.

Allowable Subject Matter

- 1. Claims 1-15, 17-21 and 28 are allowed.
- 2. Claims 23-27 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Application/Control Number: 10/821,933

Art Unit: 2852

Response to Arguments

3. Applicant's arguments filed 10/11/2006 have been fully considered but they are not persuasive. First the Applicant argues that Kameyama does not disclose that the cover 93 open the sides of the image forming apparatus. The Examiner found this not persuasive since at Col. 17, lines 24-27 and in Figs. 7-9, Kameyama clearly teaches that the cover members 93 are used to cover and to access (i.e. to open) to the sides of the image forming apparatus. Second, the Applicant argues that Kameyama's document pressing cover 83 is not a door to open a top side of the image forming apparatus. The Examiner again found this not persuasive since in Fig. 11, Kameyama clearly teaches that the member 83 is a door member and is used to open the top side of the image forming apparatus so that a document can be placed on a glass scanning plate 85 in which the top side having the glass scanning plate can be read as the top side and the member 83 is used to open to access to the glass plate.

Conclusion

4. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Application/Control Number: 10/821,933

Art Unit: 2852

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoang Ngo whose telephone number is (571) 272-2138. The examiner can normally be reached on 6:00am - 2:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Gray can be reached on (571) 272-2119. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Hoang Ngó Primary Exan

Primary Examiner
Art Unit 2852

Hn January 5, 2007